



Integrity at work.

NSS Enterprises Inc

...is a third generation family-owned manufacturing company with it's headquarters based in Toledo, Ohio, USA.



Ohio Headquarters

NSS is the only owner-operated full-line commercial floor care equipment company in the world under the ownership of Mark Bevington.

European Base

The European business is managed from our Distribution Centre based in Stapleford, Nottingham, England, where we hold spare parts and machines for immediate shipment to our customers. Our staff pride themselves in their ability to react quickly at very short notice.



Integrity at work.

Meet the European Team

If you have not tried us before, please do not hesitate to contact us!
You'll be surprised at what we have to offer.



Brigitte Garner

Vice President - Europe

Responsible for all European business

Language skills:

French, Dutch, German



Tony Stoddart

Accountant

Responsible for payment related issues.

English only



Tracy Muir

Customer Service Manager

Responsible for service related issues including order service

Language skills:

French




Mark Hammond

Technical/Warehouse Manager

English only

	English	French	German	Spanish	Dutch	Swedish	Danish	Norwegian	Polish	Turkish	Portuguese	Russian
	Curved squeegee	Suceur courbe	Gebogene Saugleiste	Escurridor curvo	Gebogen zuigmond	Sugskrapa, kurvad	Buet sugefod	Buet sugenal	Ssawa Paraboliczna	Eğri Lastik Takimi	Chupador curvo	гнутый скребок
	Straight squeegee	Seceur droit	Gebogene Saugleiste	Escurridor recto	Rechte zuigmond	Sugskrapa Rak	Lige sugefod	Rett sugenal	Ssawa prosta	Düz Lastik Takimi	Chupador direito	прямой скребок
	Hour meter	Compte horaire	Stundenzaehler	Cuenta horas	Urenmeter	Timmätare	Timetæller	Timeteller	Licznik godzin pracy	Km Göstergesi	Conta-horas	таймер
	Sound level	Decibel	Geraeuschaegel	Nivel de sonido	Geluidsniveau	Ljudnivå	Støjniveau	Lyd nivå	Poziom halasu	Ses Göstergesi	Nivel Sonero	уровень звука
	Solution Tank	Bac eau proper	Frischwasser behaelter	Tanque de la solucion	Schoonwatertank	Renvattentank	Rentvandstank	Rentvannstank	Zbiornik roztwou roboczego	Temiz Su Tanki	Tanque de soluça o	резервуар для мо щего раствора
	Recovery Tank	Bac eau sale	Schmutzwasser behaelter	Tanque de recuperacion	Vuilwatertank	Smutsvattentank	Snavsvandstank	Oppsamlingstank	Zbiornik brudnej wody	Kirlı Su Tanki	Tanque de recuperaça o	резервуар для отработанного раствора
	Cleaning Path	Largeur du travail	Arbeitsbreite	Paso de limpieza	Wekbreedte	Skurbredd	Rengøringsbredde	Rengjøringsbredde	Szeroko ś ć robocza	Temizlik Pedi	Faixa de lavagem	рабочая ширина
	240V Option	240V Option	240V Option	240V Opcional	240V optie	240V alternativ	240V valgmulighed	240V valgmulighed	Opcja 240V	240V Option	Opça o 240V	напряжение 240В
	Cord Length	Longeur de cable	Kebellaenge	Longitud de cable	Kabel lengte	Längd kabel	Kabellængde	Kabellengde	D lugo ś ć kabla	Kablo uzunluğ u	Comprimento do cabo	длина кабеля
	Chain Driven	Traction par chaine	Kettenantrieb	Cadena de tracción	Ketting aangedreven	Kedje-driving	Kædetræk	Kjedeoverføring	Napęd la řicuchowy	Zincir Kalkışı	Tracção por corrente	цепная передача

	English	French	German	Spanish	Dutch	Swedish	Danish	Norwegian	Polish	Turkish	Portugese	Russian
	Belt Driven	Entrainement par courroie	Keilriemenantrieb	Correa de tracción	Snaar aangedreven	Remdrivning	Remtræk	Remøverføring	Napęd paskiem klinowym	Kemer Kalkış	Tracção por correia	ременная передача
	Battery Power	À batteries	Batteriebetrieb	Capacidad de batería	Accu voeding	Batteridrift	Batteri størrelse	Batteri størrelse	Pojemno ś ć akumulatora	Batarya Gücü	Bateria	мощность аккумулятора
	Self Propelled	Auto-propulse	Eigenantrieb	Autopropulsada	Zelf aangedreven	Självgående	Selvkørende	Selvgående	Z dedykowanym napędem	Kendini Yürütmek	Tracção própria	самодонь м способом
	# of Brushes	Nombre de brosses	Anzahl der buersten	# de cepillos	Aantal van borstels	Antal borstar	Antal børster	Antall børster	Ilo ś ć szczotek	Fırça kapalı	# de Escovas	количество щеток
	Dimensions	Dimensions	Groesse	Dimensiones	Afmetingen	Dimensioner	Dimensioner	Dimensjoner	Wymiary	Ebatlar, Em yükseklik	Dimensões	габариты
	Keyswitch Fitted	Contracteur a clé Série	Schuesselschalter mit schlüssel	Interruptor Serie	Sleutel Seriel	Nyckelström-brytare passande	Nøglekontakt Tilpasset	Knøkkelkontakt Tilpasset	Stacyjka	Kilit Takilmiş	Chave Incluida	встроенный стартер
	Keyswitch Optional	Contracteur a clé Option	Schuesselschalter Optional	Interruptor Opcional	Sleutel Optioneel	Nyckelström-brytare valfri	Nøglekontakt valgmulighed	Knøkkelkontakt valgmulighet	Stacyjka opcjonalna	Kilit Seçilebilir	Chav opcional	опциональный стартер
	Transaxle Driven	Différentiel	Kardantrieb	Motor de Tracción	aandrijving	Motor drivning	Differentiale	Differential axle	Napęd przekladniowy	Motor Yürüyüşü	Veio diferencial	редуктор
	Revolution per minute (rpm)	Tours/minute	Umdrehung pro minute UpM	Revoluciones por minute (rpm)	Toeren per minuut	Varv per minut	Omdrejninger pr. Min. (rpm)	Omdreinger pr. Minutt (rpm)	Obroty na minutę	Dakikadaki devri	Rotações por minuto (rpm)	оборотов в минуту



English	French	German	Spanish	Dutch	Swedish	Danish	Norwegian	Polish	Turkish	Portuguese	Russian
Brush Width	Largeur du brossage	Buerstenbreite	Ancho del cepillo	Borstel breedte	Bredd borste	Børstebredde	Børstebredde	Szerokość szczotki	Fırça Eni	Largura de escova	ширина щетки
Suitable for Aircraft	Convient pour les avions	Flugzeug kompatibel	Indicado para avión	Geschildt voor vliegtuig	Lämplig för flygplan	Kan anvendes til flyvemaskiner	Passer for rengjøring av flycabin	Do sprzątania samolotów	Uçaç a uygundur	Para aviões	годен для работы в самолетах
Pump psi	Pompe (psi)	Bar	Presion de la bomba (psi)	Pomp (psi) (bar)	Pumptryck (psi)	Pumpetryk	Pumpertrykk	Ciśnienie na pompy (Psi)	Pompa Psi	Pressão da bomba (psi)	давление насоса [фунт/кв.д ойм]
Height Adjustment	Reglage de brossage	Hochen Einstellung	Ajuste de Altura	Hoogte aanstelling	Justering höjd	Højdejusterbart	Høydejustering	Regulacja Wysokości	Yükseklik ayarı	Ajuste de peso	регулировка высоты
M² per charge	M² / charge	Quadratmeter (qm)	M² por carga por baterielladung	M² per lading	Kvadratmeter	M² pr. opladning per laddning	M² pr. Oppladning dia 1 cyklu baterii	Wydażność robocza baterii (M²)	M2 Bir Sarj	M² por carga	кв. М до подзарядки аккумулятора
Hours per charge	Autonomie	Betriebsstunden (Std) pro batterielladung	Autonomia por carga	Uren per lading	Timmar per laddning	Timer pr. Opladning	Timer pr. Oppladning	Wydażność godzinowa baterii (godz.)	Saatlik Sarj	Horas de carga	часов до подзарядки аккумулятора
Wheel	Roue	Rad	Rueda	Wiel	Hjul	Hjul	H.l	Kolko	Arka Teker	Roda	колесо
Caster	Roue pivotante	Rolle	Rueda giratoria	Zwenkwiel	Länkhjul	Baghjul	Trinsehjul	Kolko w obudowie	Orta Teker	Rodizio	ролик



English	French	German	Spanish	Dutch	Swedish	Danish	Norwegian	Polish	Turkish	Portuguese	Russian
Battery Charger	Chargeur	Batterie Ladegeraet	Cargador de baterie	Acculader	Batteriladdare	Batterilader	Batterilader	Prostownik	Sarj Aleti	Carregador de baterias	зарядное устройство
Brush Motor	Moteur de brose	Buerstenmotor	Motor de cepilla	Borstel motor	Borstmotor	Børstemotor	Børstemotor	Silnik szczotki	Fırça Motoru	Motor de escova	двигатель щетчи
Vacuum Motor	Moteur d'aspiration	Saugmotor	Motor de aspiracion	Zuigmotor	Sugmotor	Sugemotor	Sugemotor	Silnik ssący	Vakum Motoru	Motor de aspiração	вакуумная турбина
Drive Motor	Moteur de traction	Antriebsmotor	Motor de tracción	Aandrijfmotor	Drivmotor	Køremotor	Kjøremotor	Silnik napędu	Yürüyüş motoru	Motor de tracção	двигатель
Power Source	Énergie	Stromversorgung	Fuente de	Stroomvoorziening	Strömkälla	Strømkilde	Strømkilde	Zródło zasilania	Güç Kaynağı	Alimentação	источник питания
Gear Motor	Moteur – reducteur	Getriebemotor	Motor de engranaje	Aandrijfmotor	Växelhus	Gear motor	Gear overføring	Silnik z przekładnią	Gear motor	Motor c/caixa redutora	привод передач
Standard Brush Pressure	Pression standard	Standard Buerstendruck	Presion estandar del cepillo	Standaard borsteldruk	Borsttryck normal	Standard børstetryk	Standard børstetrykk	Standardowy nacisk szczotek	Standard fırça basıncı	Pressão normal	стандартное давление щетчи
Heavy Brush Pressure	Pression maximale	Maximale Buerstendruck	Presion maxima del cepillo	Maximale borsteldruk	Borsttryck hård	Hård børstetryk	Kraftig børstetrykk	Maksymalny nacisk szczotki	Yükü fırça basıncı	Pressão maxima	давление щетчи с утяжелением
Turning Radius	Rayon de braquage	Wendekreis	Radio giratorio	Draaicirkel	Vändradie	Venderadius	Svingradius	Promień skrętu	Kendi gapında dönüm	Raio de viragem	радиус поворота

Automatic Scrubbers Champ 3529 RB

On-Board Charger



Descriptions



2 x 45cm



52kg



105kg



117cm



89cm



110L
121L



220/300 rpm



70db



6 x 325amp
36V



1 x 1864W



1 x 959W
(2-stage)



175cm
109cm
135cm
295kg



1 x 745W



8306m²

4607m²/HR

NB. Headlight & Rotating Beacon are Optional



Automatic Scrubbers Champ 2929 RB

On-Board Charger



Descriptions



2 x 38cm

52kg

105kg



84cm

74cm

110L
121L



300 rpm

6 x 325amp
36V

1 x 1480W



1 x 550W
(3-stage)

163cm
84cm
135cm
280cm

6882m²



1 x 740W

3716m²/HR

NB. Headlight & Rotating Beacon are Optional

THIS IS NOT A
PASSENGER ELEVATOR.
DO NOT USE UNLESS
YOU ARE TRANSPORTING
FREIGHT.

DO NOT
USE
ELEVATOR
IN CASE
OF FIRE



Automatic Scrubbers Wrangler 3330

On-Board Charger



Descriptions

		
97cm		72db
		
2 x 43cm	34kg	68kg
		
109cm	84cm	114L 125L
		
300rpm	2076m ²	6 x 325amp 36V
		
1 x 370W	1 x 550W (3-stage) Option 1 x 740W (3-stage)	H L 168cm 65cm 107cm
		
2 x 550W	10957m ² /HR	

Automatic Scrubbers Wrangler 3330



Automatic Scrubbers Wrangler 2625 DB

On-Board Charger



Descriptions



81cm



2 x 33cm



1 x 244W



89cm



64cm



95L
102L



141cm
69cm
104cm



4 x 220amp
24V



1407m²



2 x 550W



1 x 550W
(3-stage)



80db



270 rpm



4020m²/HR



Automatic Scrubbers Wrangler 2016 DB

On-Board Charger



Descriptions

 1 x 252W	 81cm	
 27kg	 36kg	 1 x 51cm
 3091m ²	 89cm	
 51cm	 60L 64L	 270 rpm
 4 x 220amp 24V	 1x 550W	 1 x 550W (3-stage)
 140cm 53cm 94cm	 3091m ² /HR	 72db

Automatic Scrubbers **Wrangler 2016 DB**

On-Board Charger





Automatic Scrubbers Wrangler 2008 AB/1708 AB

On-Board Charger



Descriptions



Automatic Scrubbers **Wrangler 2008 AB/1708 AB**



On-Board Charger

Burnishers Charger 2717 DB

NEW!

On-Board Charger



Descriptions



165cm
76cm
107cm



6 x 325amp
36V



71db



1700rpm



2664W



1 X 69cm



1 X 370W



69cm



32432m²

10810m²/HR



NEW!

Burnishers Charger 2022 DB

On-Board Charger

NEW!



Descriptions



165cm
76cm
107cm



3 x 12V
210 amp



74db



2200rpm



1 x 1850W



1 X 69cm



1 X 185W



51cm



6,696m²
2,232m² per hour



Burnishers Charger 1500



Descriptions



5333m²/HR

Descriptions



51cm



1500 rpm



H L
69cm
53cm
117cm



76db



1 x 1100W



23m

887m²/HR




Burnishers Mustang 1500 VT



Burnishers Galaxy 1500

**NEW
NOV
08**



Descriptions



51cm



1500rpm



76db



1 x 1100W



69cm
53cm
117cm

Descriptions



43cm
51cm



180 rpm
300 rpm



68db



13cm



61cm
46cm
124cm



23m



1110W
3 idler
planetary

Scrub: 43cm: 900m²/HR
51cm: 1200m²/HR

Floor Machine Mustang 300 DS



Floor Machine Mustang 175



Descriptions



43cm
51cm



175 rpm



68db



13cm



61cm
46cm
124cm



23cm



740W/1100W
2 idler
planetary

Scrub: 43cm: 900m²/HR
51cm: 1200m²/HR

Descriptions



43cm
51cm



23m



180 rpm
320 rpm



1 x 1100W
3 idler
planetary



69cm
53cm
117cm

Scrub: 51cm: 1200m²/HR
43cm: 900m²/HR

Floor Machine Galaxy Dual Speed



Floor Machine Galaxy



Descriptions



43cm
51cm



175 rpm



240V - 740W
240V - 1110W



15cm



251m²



69cm
53cm
117cm



1 x 740W
2 idler
planetary
1 x 1100W
3 idler
planetary

Scrub: 43cm: 641m²/HR
51cm: 740m²/HR

Descriptions



43cm
51cm



68db



175 rpm



15m



13cm



740/1100W
3 idler
planetary



61cm
46cm
124cm

Scrub: 43cm: 900m²/HR
51cm: 1200m²/HR

Floor Machine Thoroughbred




Also available with weights.

Wet / Dry Vacuums Colt 800



Descriptions



FMS 67.5cm

62db



30L wet/35L dry
COLT 800/FMS



47.5L wet/53L dry
COLT 1250/FMS



55L wet/60L dry
COLT 1450/FMS



9m



1 x 925W
(2-stage)
by-pass



2 x 8cm




2 x 25cm

HEPA
Option

Descriptions



62db



FMS 67.5cm



9m



47.5L wet/53L dry
COLT1250/FMS



1 x 925W
(2-stage)
by-pass



2 x 8cm



2 x 25cm

HEPA
Option



Wet / Dry Vacuums Colt 1250



Battery Powered Equipment Colt 800 PB

NEW!



Descriptions



65db




30L
66L



FMS 81cm



2 x 20cm



on-board



1 x 550W



2 x 12V



2 x 8cm

HEPA
Option



3-3.5 Hrs



NEW!

Battery Powered Equipment Pacer PB

NEW!



Descriptions



2 x 12V



69cm
53cm
117cm



65db



1 x 370W
2-Stage



7L

HEPA
Option

Runtime: 30-35min
1-2 Hrs spot vacuuming

Spot Vacuuming: 1000m²/HR with
1 set of batteries.
2000m²/HR with
2 sets of batteries.



NEW!

Carpet Extractors

Predator CX300HP



Descriptions



45L
45L



1 x 1480W
(3-stage)



87cm
66cm
43cm



8m



2 x 20cm



2 x 8cm



75db



75-300psi
5-21 bar

Descriptions



30L
30L



1 x 925W
(2-stage)



67cm
74cm
46cm



8m



2 x 20cm



2 x 8cm



79db



100psi
7 bar

Carpet Extractors Predator CXC/H100



Carpet Extractors

Predator CX3 Spotter



Descriptions



4L
4L

8m



55psi
4 bar



49cm
63cm
27cm



79db



2 x 13cm

Descriptions



30L
30L

15m



67cm
74cm
46cm



1 x 1400W
tangential
3-stage



100psi
7 bar



2 x 20cm



77db



92.5W

1466m²/HR



Carpet Extractors Stallion 8SC



Carpet Extractors Stallion 12SC

NEW!



Descriptions



45L
45L

8m



96cm
122cm
48cm



1 x 2600W dual
tangential 2-stage



100psi
7 bar



4 x 20cm



77db

Descriptions



1 x 500W



46cm
48cm
42cm



Carpet Dryer AeroPlus

Carpet Vacuums Pacer 30



Descriptions



111cm
81cm
91cm



76cm



23m



5



1725 rpm



2 x 740W
(1-stage)



2 x 25cm



2 x 5cm



76cm



1 x 250W



69db

HEPA
Option


1767m²/HR



Carpet Vacuums Outlaw BV



Descriptions



64cm
20cm

HEPA
Option



15m



75db



1 x 925W



925W-400Hz



O

Equipment shipping Crate Corral Machine



Fits all NSS Equipment, including Champ 3529

Milligon. A division of NSS Enterprises, Inc.
Vigor Workmats



NSS PRO TEC WARRANTY MEANS UNPARALLELED PROTECTION

We build quality, durability and value into all NSS floor care products. That is why we can stand behind them with an extensive and comprehensive warranty.

Product

Warranty Term

Polyethylene roto-moulded tanks and components	10 years limited
Cast aluminium tools	10 years limited
Champ and Wrangler autoscrubbers	3 years limited
Charger cord-electric burnishers	7 years limited
Charger battery, Mustang and burnishers	3 years limited
Thoroughbred floor machines	7 years limited
Mustang floor machines	3 years limited
Galaxy floor machines	3 years limited
Colt wet/dry vacuums	3 years limited
Pacer30, Outlaw B/V and Pacer PB vacuums	3 years limited
Pacer 112	2 years limited
Aero Plus dryer	3 years limited
Predator extractors	1 year limited

NSS Enterprises Inc
Unit 7, Pinfold Business Park
55 Nottingham Road
Stapleford, Nottingham
England, NG9 8AD

Tel: 0044 115 939 1568

Fax: 0044 115 949 0615

Web: www.nssinc.co.uk

e-mail: Brigitte@nss-inc.co.uk

We are a fully owned subsidiary of:

NSS Enterprises Inc
3115 Frenchmens Road
Toledo, Ohio 43607-2968
USA

Phone: 001 419 531 2121

Fax: 001 419 531 3761

Web: www.nss.com

Labour is warranted for 1 year on all products. In some cases, travel is covered for up to 1 year. For complete details on the NSS Pro Tec warranty visit NSS.com or call us on 0044 115 9391568.

In keeping with its Company Mission, NSS Enterprises' Quality Policy is to meet customer standards as measured by rework, customer complaints and warranty claims. Furthermore, NSS Enterprises maintains a Quality Policy that meets the standards of ISO 9001.



Distributor Address